Theoretical Computer Science 108 (1993) 407–408
Elsevier

Author Index Volume 108 (1993)

(The issue number is given in front of the page numbers)

Almeida, J., Locally commutative power semigroups and counting factors of words (1) 3–16
Apostolico, A., Efficient CRCW-PRAM algorithms for universal substring searching (*Note*) (2) 331–344
Bar Yehuda, R., T. Etzion and S. Moran, Rotating-table games and derivatives of words (*Mathematical Games*) (2) 311–329
Crvenković, S. and R.S. Madarász, On Kleene algebras (1) 17–24
d'Amore, F., A. Marchetti-Spaccamela and U. Nanni, The weighted list update problem and the lazy adversary (*Note*) (2) 371–384
Diekert, V., Möbius functions and confluent semi-commutations (1) 25–43
Dietzfelbinger, M. and W. Maass, The complexity of matrix transposition on one-tape off-line Turing machines with output tape (2) 271–290
Do Long Van, B. Le Saëc and I. Litovsky, Stability for the zigzag submonoids (2) 237–249
Etzion, T., *see* R. Bar Yehuda (2) 311–329
Frougny, Ch. and J. Sakarovitch, Synchronized rational relations of finite and infinite words (1) 45–82
Fülöp, Z., F. Hermann, S. Vágvölgyi and H. Vogler, Tree transducers with external functions (*Fundamental Study*) (2) 185–236
Garzon, M., Cayley automata (1) 83–102
Grossi, R., On finding common subtrees (*Note*) (2) 345–356
Hermann, F., *see* Z. Fülöp (2) 185–236
Hromkovič, J. and K. Inoue, A note on realtime one-way synchronized alternating one-counter automata (*Note*) (2) 393–400
Inoue, K., *see* J. Hromkovič (2) 393–400
Ito, M., Foreword to the Special Issue on Selected Papers of the International Colloquium on Words, Languages and Combinatorics, Kyoto, Japan, August 28–31, 1990 (1) 1
Karhumäki, J., Equations over finite sets of words and equivalence problems in automata theory (1) 103–118
Katsura, M. and G. Tanaka, Groups of finite elementary codes (1) 119–149
Kunze, M., Standard automata and semidirect products of transformation semigroups (1) 151–171
Le Saëc, B., *see* Do Long Van (2) 237–249
Lehr, S., Sums and rational multiples of q-automatic sequences are q-automatic (*Note*) (2) 385–391
Litovsky, I., *see* Do Long Van (2) 237–249
Maass, W., *see* M. Dietzfelbinger (2) 271–290
Madarász, R.S., *see* S. Crvenković (1) 17–24
Madonia, M., S. Salemi and T. Sportelli, A generalization of Sardinas and Patterson's algorithm to z-codes (2) 251–270
Marchetti-Spaccamela, A., *see* F. d'Amore (2) 371–384
Middendorf, M., The shortest common nonsubsequence problem is NP-complete (*Note*) (2) 365–369
Moran, S., *see* R. Bar Yehuda (2) 311–329
Nanni, U., *see* F. d'Amore (2) 371–384
Qiu, W.D., *see* L. Zhang (1) 173–183
Sakarovitch, J., *see* Ch. Frougny (1) 45–82
Salemi, S., *see* M. Madonia (2) 251–270

Elsevier Science Publishers B.V.

Schmid, U., The average CRI-length of a controlled ALOHA collision resolution algorithm (2) 291–310
Slowinski, K., Picture words with invisible lines (*Note*) (2) 357–363
Sportelli, T., *see* M. Madonia (2) 251–270
Tanaka, G., *see* M. Katsura (1) 119–149
Vágvölgyi, S., *see* Z. Fülöp (2) 185–236
Vogler, H., *see* Z. Fülöp (2) 185–236
Zhang, L. and W.D. Qiu, Decompositions of recognizable strong maximal codes (1) 173–183